

MODUL-iT
open carts

MODUL-iT ISO modular open carts and accessories



MODUL-iT open carts are available in various dimensions and exist in two varieties: multifunctional carts or transport carts. The carts are made from epoxy coated steel tube. There are carts for modules in the 60 cm wide direction and other carts for modules in the 40 cm wide direction.

MODUL-iT open carts are lightweight, modular and easy to move. The carts are easily configurable too: various accessories can complement the carts according to their use. All products stored in the cart are clearly visible and easily accessible. By default, the carts are provided with 4 swivel wheels, two of them with a brake. The wheel diameter depends upon the dimensions of the cart.

The trays and baskets fit into the module rails with safety stop function. The height of the rails can be adjusted every 68 mm without any tool. The multifunction carts are available with 1 or 2 sections. The transport carts are available with 1, 2 or 3 sections, or with 1 modular section and 1 section with large adjustable shelves that can be adjusted in height every 68 mm.

MODUL-iT multifunctional cart – 1 section of 60 cm wide – 85 cm high
Article no: 150816-50500



MODUL-iT open multifunctional cart (ISO) with 1 section of 60 cm wide. Made in epoxy coated square steel tube of 20x20 mm, light grey. With push handle, 4 swivel wheels with ball bearing of Ø 10 cm, two of them with a brake. Capacity for up to 9 pairs of removable rails with safety stop system.
Dim. 85x72x45 cm (HxLxD)

MODUL-iT multifunctional cart – 1 section of 60 cm wide – 105 cm high
Article no: 151016-50500



MODUL-iT open multifunctional cart (ISO) with 1 section of 60 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. With push handle, 4 swivel wheels with ball bearing of Ø 10 cm, two of them with a brake. Capacity for up to 12 pairs of removable rails with safety stop system.
Dim. 105x72x45 cm (HxLxD)

MODUL-iT multifunctional cart – 2 sections of 40 cm wide – 85 cm high
Article no: 150824-50500



MODUL-iT open multifunctional cart (ISO) with 2 sections of 40 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. With push handle, 4 swivel wheels with ball bearing of Ø 10 cm, two of them with a brake. Capacity for up to 2x9 pairs of removable rails with safety stop system.
Dim. 85x92x65 cm (HxLxD)

MODUL-iT multifunctional cart – 2 sections of 40 cm wide – 105 cm high
Article no: 151124-50500



MODUL-iT open multifunctional cart (ISO) with 2 sections of 40 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. With push handle, 4 swivel wheels with ball bearing of Ø 10 cm, two of them with a brake. Capacity for up to 2x12 pairs of removable rails with safety stop system.
Dim. 105x92x65 cm (HxLxD)

MODUL-iT module rail – for open cart of 60 cm wide – Horizontal
Article no: 154440-10100



MODUL-iT removable rail for open carts (ISO) of 60 cm wide front. Left and right model, horizontal, light grey plastic, with safety stop system.
Dim. 43 cm (L)

MODUL-iT module rail – for open cart of 40 cm wide – Horizontal
Article no: 154660-10100



MODUL-iT removable rail for open carts (ISO) of 40 cm wide front. Left and right model, horizontal, light grey plastic, with safety stop system.
Dim. 63 cm (L)

MODUL-iT plastic cap – to cover holes for module supports – white
Article no: 150001-10100



MODUL-iT cap in white plastic. To cover the holes for the removable module rails in open carts (ISO).
Diam. 8,8 mm

MODUL-iT waste bag holder – for open cart of 60 cm wide – epoxy coated
Article no: 150002-50500



MODUL-iT waste bag holder for multifunctional carts (ISO) of 60 cm wide. Made of epoxy coated square steel tube 20x20 mm, light grey. For waste bags up to 20 liters.
Dim. 35x45 cm (LxD)

MODUL-iT clamp – for open carts – aluminium
Article no: 150004-50500

MODUL-iT clamp in aluminium for modular carts.
Can be fixed on the four corners of the cart.



MODUL-iT extension unit – for open cart of 60 cm wide – 3040 modules
Article no: 150003-50500



MODUL-iT extension unit for half modules. For multifunctional carts (ISO) of 60 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. Dim. 35x45 cm (LxD)

MODUL-iT folding unit – for open cart of 60 cm wide – 3040 modules
Article no: 150014-50500



MODUL-iT folding extension unit for half modules. For multifunction carts (ISO) of 60 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. Dim. 35x45 cm (LxD)

MODUL-iT IVpole with 2 hooks – for open carts – Stainless steel
Article no: 150005-52519



MODUL-iT IV pole with two hooks. Made of stainless steel. For multifunctional carts (ISO). To be fixed with clamp at the corners of the cart, height adjustable. Dim. 100 cm (H)

MODUL-iT laptop arm – for open carts and MODU-FLEX – Aluminium
Article no: 150005-51519



MODUL-iT swivel arm for laptop. Turns 360°. With anti-theft system, effortless height adjustment.

MODUL-iT anti-theft cable – for laptop arm – with laptop lock
Article no: 150017-10000



MODUL-iT anti-theft cable with laptop lock.
Length: 120 cm

MODUL-iT accessory stand – for open cart of 60 cm wide – epoxy coated
Article no: 150007-50500



MODUL-iT accessory stand for multifunction cart (ISO) of 60 cm wide. Made of epoxy coated square steel tube of 20x20 mm, light grey. To be fixed with 2 clamps.
Dim. 64,5x45 cm (LxH)

MODUL-iT dispenser cassette – with 3 transparent partitions – plastic
Article no: 150008-10102



MODUL-iT dispenser cassette with 3 transparent partitions. Provided with label holder. Made of grey plastic.
Dim. 60x21x24,2 cm (LxDxH)

MODUL-iT dispenser cassette – with 4 transparent partitions – plastic
Article no: 150009-10102



MODUL-iT dispenser cassette with 4 transparent partitions. Provided with label holder.
Made of grey plastic.
Dim. 60x17,8x20,6 cm (LxDxH)

MODUL-iT dispenser cassette with 5 transparent partitions – plastic
Article no: 150010-10102



MODUL-iT dispenser cassette with 5 transparent partitions. Provided with label holder.
Made of grey plastic.
Dim. 60x14x16,8 cm (LxDxH)

MODUL-iT dispenser cassette – with 6 transparent partitions – plastic
Article no: 150011-10102



MODUL-iT dispenser cassette with 6 transparent partitions. Provided with label holder.
Made of grey plastic.
Dim. 60x9,6x11,2 cm (LxDxH)

MODUL-iT Accessory rail – for open carts – epoxy coated
Article no: 150013-10100



MODUL-iT accessory rail for multifunctional cart (ISO). Made of epoxy coated square steel tube of 20x20 mm, light grey.
Dim. 45 cm (L)

MODUL-iT Bumper wheel – for open carts – Rubber
Article no: 150012-18120




MODUL-iT bumper wheel in light grey rubber for multifunctional carts (ISO).
Diam. 10 cm

MODUL-iT unit – for risk waste container – alu clamp
Article no: 150022-50500



MODUL-iT extension unit for risk waste container.
To be fixed with aluminium clamp.
Made of epoxy coated steel.

MODUL-iT unit – for risk waste container – hook-on system
Article no: 150023-50500



MODUL-iT extension unit for risk waste container.
Can be hooked on a ISO modular cart.
Made of epoxy coated steel.

MODUL-iT connexion rod with spring – for transport carts - galvanised
Article no: 920027-00002



MODUL-iT connexion rod with spring.
To connect transport carts.
Made of galvanised steel.

MODUL-iT transport cart – with 1 section of 40 cm wide – 164 cm high
Article no: 154614-50500



MODUL-iT open transport cart (ISO) with 1 section of 40 cm wide front. Capacity for 20 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 45,5x65x164 cm (LxDxH)

MODUL-iT transport cart – with 1 section of 60 cm wide – 164 cm high
Article no: 156416-50500



MODUL-iT open transport cart (ISO) with 1 section of 60 cm wide front. Capacity for 20 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 65,5x45x164 cm (LxDxH)

MODUL-iT transport cart – with 1 section of 40 cm wide – 180 cm high
Article no: 154614-00184



MODUL-iT open transport cart (ISO) with 1 section of 40 cm wide front. Capacity for 22 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 45,5x65x180 cm (LxDxH)

MODUL-iT Transport cart – with 1 section of 60 cm wide – 180 cm high
Article no: 156416-00184



MODUL-iT open transport cart (ISO) with 1 section of 60 cm wide front. Capacity for 22 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 65,5x45x180 cm (LxDxH)

MODUL-iT transport cart – with 2 sections of 40 cm wide – 164 cm high
Article no: 154624-50500



MODUL-iT open transport cart (ISO) with 2 sections of 40 cm wide front. Capacity for 2x20 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 89x65x164 cm (LxDxH)

MODUL-iT transport cart – with 2 sections of 60 cm wide – 164 cm high
Article no: 156426-50500



MODUL-iT open transport cart (ISO) with 2 sections of 60 cm wide front. Capacity for 2x20 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 129x45x164 cm (LxDxH)

MODUL-iT transport cart – with 2 sections of 40 cm wide – 180 cm high
Article no: 154624-00184



MODUL-iT open transport cart (ISO) with 2 sections of 40 cm wide front. Capacity for 2x22 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 89x65x180 cm (LxDxH)

MODUL-iT transport cart – with 2 sections of 60 cm wide – 180 cm high
Article no: 156426-00184



MODUL-iT open transport cart (ISO) with 2 sections of 60 cm wide front. Capacity for 2x22 pairs of removable module rails with safety stop system. 4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 129x45x180 cm (LxDxH)

MODUL-iT transport cart – with 3 sections of 40 cm high – 164 cm high
Article no: 154634-50500



MODUL-iT open transport cart (ISO) with 3 sections of 40 cm wide front. Capacity for 3x20 pairs of removable module rails with safety stop system.
4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 130,5x65x164 cm (LxDxH)

MODUL-iT transport cart – with 3 sections of 40 cm high – 180 cm high
Article no: 154634-00184



MODUL-iT open transport cart (ISO) with 3 sections of 40 cm wide front. Capacity for 3x22 pairs of removable module rails with safety stop system.
4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 130,5x65x180 cm (LxDxH)

MODUL-iT transport cart – hybrid model – 164 cm high
Article no: 154612-50500



MODUL-iT open transport cart (ISO) with 1 module section of 40 cm wide front +1 shelf section. Capacity for 20 pairs of removable module rails with safety stop system and up to 20 positions for removable shelves of 85x65 cm.
4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 130,5x65x180 cm (LxDxH)

MODUL-iT transport cart – hybrid model – 180 cm
Article no: 154612-00184



MODUL-iT open transport cart (ISO) with 1 module section of 40 cm wide front and 1 shelf section. Capacity for 22 pairs of removable module rails with safety stop system and up to 22 positions for removable shelves of 85x65 cm.
4 swivel wheels with ball bearing of Ø 12,5 cm, two of them with brake. Made of epoxy coated steel tube of 20x20 mm and 40x20 mm, light grey.
Dim. 130,5x65x180 cm (LxDxH)

MODUL-iT push handle – for transport carts – aluminium
Article no: 150018-51519



MODUL-iT push handle in anodized aluminum for open transport carts.

MODUL-iT cover – for 1 section transport cart of 40 cm wide – 164 cm high
Article no: 920048-00014



MODUL-iT cover in polyester with two zippers and an insert sleeve size Din-A4.
For transport cart type 154614-50500.
Height of cover: ca. 145 cm

MODUL-iT cover – for 2 section transport cart of 40 cm wide – 164 cm high
Article no: 920048-00024



MODUL-iT cover in polyester with two zippers and an insert sleeve size Din-A4.
For transport cart type 154624-50500.
Height of cover: ca. 145 cm

MODUL-iT cover – for 3 section transport cart of 40 cm wide – 164 cm high
Article no: 920048-00034



MODUL-iT cover in polyester with two zippers and an insert sleeve size Din-A4.
For transport cart type 154634-50500.
Height of cover: ca. 145 cm

MODUL-iT dust cover – 1 section transport cart of 40 cm wide – Single use
Art.nr. 920075-00001



MODUL-iT transparent dust cover made in polyethylene, single use.
For transport cart type 154614-50500.
Role with 200 covers.

**matteo**

