

MODUL-iT
container carts

MODUL-iT ISO modular container carts



MODUL-iT container carts are extremely suitable for sterile product transportation. They are made in anodised aluminium and are available with 1, 2 or 3 modular sections, or with 1 modular section and 1 shelf section. The modules are inserted into the module rails of the container cart with the 40 cm side as front. The doors open 270 degrees and can be fixed to the cart sides with a magnet, so they do not occupy extra space when opened. All **MODUL-iT** container carts are surrounded by a bumper on the bottom side and most types also have one on the top. By default, the container carts have two swivel wheels and two fixed castors. The wheel diameter depends on the dimensions of the container cart.

The **MODUL-iT** container cart range also integrates the **Kangaroo system**. This system was designed specifically to organise the transport between two sterile zones. It consists of container carts, transfer carts and platform carts. The container cart always moves within a nonsterile zone. The transfer cart with the modules or instrument containers is placed inside the container cart or stands on a platform cart. The platform cart never leaves the sterile zone. The transfer carts can be transferred easily from the platform cart to the container cart and vice versa. This way, the Kangaroo system provides a very ergonomic way of transportation for sterile products between two sterile zones.

MODUL-iT container cart – with 1 section of 40 cm wide – Aluminium
Article no: 164614-51519



MODUL-iT container cart (ISO) in anodised aluminium, with 1 section for 10 pairs of plastic module rails. Has 1 door that opens 270° and can be fixed to the cart side with a magnet. Cart is surrounded by a bumper on the bottom, has 2 swivel wheels and 2 fixed wheels with ball bearing of Ø 16 cm. Dim. 55,4x71x158,5 cm (LxDxH)

MODUL-iT container cart – with 2 sections of 40 cm wide – Aluminium
Article no: 164624-51519



MODUL-iT container cart (ISO) in anodised aluminium, with 2 sections for 2x12 pairs of plastic module rails in total. The 2 doors open 270° and can be fixed to the cart side with a magnet. The cart is surrounded by a bumper on both the upper and the bottom side, has 2 swivel wheels and 2 fixed wheels with ball bearing of Ø 16 cm. Dim. 97x71x178,5 cm (LxDxH)

MODUL-iT container cart – with 3 sections of 40 cm wide – Aluminium
Article no: 164634-51519




MODUL-iT container cart (ISO) in anodised aluminium with 3 sections for 3x12 pairs of plastic module rails in total. The 2 doors open 270° and can be fixed to the cart side with a magnet. The cart is surrounded by a bumper on both the upper and the bottom side, has 2 swivel wheels and 2 fixed wheels with ball bearing of Ø 16 cm. Dim. 140x71x178,5 cm (LxDxH)

MODUL-iT container cart – hybrid model with shelves – Aluminium
Article no: 164612-51519




MODUL-iT container cart in anodised aluminium (ISO) with 1 module section for 12 pairs of plastic module rails and 1 section with two height-adjustable shelves of 85x60 cm (+ bottomshelf). The 2 doors open 270° and can be fixed to the cart side with a magnet. The cart is surrounded by a bumper on both the upper and the bottom side, has 2 swivel wheels and 2 fixed wheels with ball bearing of Ø 16 cm. Dim. 140x71x178,5 cm (LxDxH)

MODUL-iT Kangaroo container cart for 2 ISO modular transfer carts
Article no: 160001-51519

MODUL-iT kangaroo container cart for 2 ISO transfer carts or 1 transfer cart with 3 sections for STE baskets or instrument containers. Made of anodised aluminium. The two doors open 270° and can be fixed to the cart side with a magnet. The cart is surrounded by a bumper on both the upper and the bottom side. Has a central brake system, a fixation mechanism for the transfer and platform carts, 2 swivel wheels and 2 fixed wheels with ball bearing of Ø 16 cm. The cart can be washed and disinfected at 80°C.

Dim: 123x71x155,5 cm (LxDxH)


MODUL-iT Kangaroo transfer cart with 1 section of 40 cm wide
Article no: 160011-51519

MODUL-iT kangaroo transfer cart with 1 ISO section for 9 pairs of plastic module rails, with each 11,5 cm interspace. Made of anodised aluminium and stainless steel tube. Has 4 plastic fixed wheels which fit into the guiding rails of the container cart. The transfer cart can be sterilized at 134°Celsius. Capacity for 9 ISO modules of 60x40x10 cm. Dim: 41x60x118 cm (LxDxH)

MODUL-iT kangaroo platform cart for transfer cart of 40 cm wide
Article no: 160021-51519

MODUL-iT kangaroo platform cart for 1 transfer cart with 1 ISO modular section. Made of anodised aluminium. Has a push handle, guiding rails for the transfer cart, fixation mechanism to connect the platform cart to the container cart, 4 swivel wheels with a diameter van 12,5 cm and a central brake system.

Dim: 69,5x70,5x95,5 cm (LxDxH)

MODUL-iT Kangaroo fixed platform for 2 ISO modular transfer carts
Article no: 160031-51519

MODUL-iT kangaroo fixed platform for 2 transfer carts with 1 ISO section or 1 transfer cart with 3 STE sections. Made of anodised aluminium. Standing on 4 legs with adjustable feet, with guiding rails for the transfer cart and a fixation mechanism to connect the platform with the platform cart.

Dim: 123x71x26 cm (LxDxH)



